

Premier Specifications 2012

*All Chair capacity is 250 lbs

Premier Number	Weight	Width	Depth	Overall Height	Floor to top of seat	Seat Thickness	Construction	Package QTY
131 BK	20	15.5	15	31	18.5	2	Steel Frame	6
139 BK	20	16.5	15	31	18.5	2	Steel Frame	2
139 BK C, M or N	20	16.5	15	31	18.5	2	Steel Frame	2
139BH BK	26	16.5	16	43	31	2	Steel Frame	2
139BH BK C, M or N	26	16.5	16	43	31	2	Steel Frame	2
139BH S BK	28	17.5	17.5	43	31	2	Steel Frame	2
142 BK (7 Per Box)	19	18	17	41	18.5	2	Steel Frame	7
144 BK (7 Per Box)	18	18	17	41	18.5	2	Steel Frame	7
144 BN (7 Per Box)	18	18	17	41	18.5	2	Steel Frame	7
148 BK	20	17	17	31	18.5	2	Steel Frame	2
148BH BK	23	17.5	16	45	31	2	Steel Frame	2
160 BK	21	17.5	17	34	18.5	2	Steel Frame	2
160 BK C, M or N	21	17.5	17	34	18.5	2	Steel Frame	2
160BH BK	28	17.5	17	41	31	2	Steel Frame	2
160BH BK C,M or N	28	17.5	17	41	31	2	Steel Frame	2
165 CM	35	20	17.5	33	18	3	Chromed Steel Frame	2
170 BK	20	17.5	16	35	18.5	2	Steel Frame	2
170 BK C, M or N	20	17.5	16	35	18.5	2	Steel Frame	2
170BH BK	26	17.5	16	41.5	31	2	Steel Frame	2
170BH BK C, M or N	26	17.5	16	41.5	31	2	Steel Frame	2

Premier Specifications 2012

*All Chair capacity is 250 lbs

Premier				Overall	Floor to	Seat		Package
Number	Weight	Width	Depth	Height	top of seat	Thickness	Construction	QTY
200 BK	21	17.5	16.5	36	18.5	2	Steel Frame	2
200 BK C,M or N	21	17.5	16.5	36	18.5	2	Steel Frame	2
200BH BK	26	17.5	16.5	45	31	2	Steel Frame	2
200BH BK C, M or N	26	17.5	16.5	45	31	2	Steel Frame	2
200BH S BK	28	18	18	45	31	2	Steel Frame	2
230 BK	21	17.5	17	31	18.5	2	Steel Frame	2
230 BK C, M or N	21	17.5	17	31	18.5	2	Steel Frame	2
230BH BK	27	17.5	17	41	31	2	Steel Frame	2
230BH BK C, M or N	27	17.5	17	41	31	2	Steel Frame	2
230BH S BK	29	18	18	41	31	2	Steel Frame	2
250 BK C, M or N	20	17.5	17	32	18.5	2	Steel Frame	2
250 BK CC, MM or NN	20	17.5	17	32	18.5	2	Steel Frame	2
250BH BK C, M or N	26	17.5	17	42	31	2	Steel Frame	2
250BH BK CC, MM or NN	26	17.5	17	42	31	2	Steel Frame	2
250BH S BK C,M or N	28	17.5	17	42	31	2	Steel Frame	2
252 BK C, M or N	20	17.5	17	32	18.5	2	Steel Frame	2
252 BK CC, MM or NN	20	17.5	17	32	18.5	2	Steel Frame	2
252BH BK C, M or N	26	17.5	17	42	31	2	Steel Frame	2
252BH BK CC, MM or NN	26	17.5	17	42	31	2	Steel Frame	2
252BH S BK C,M or N	28	17.5	17	42	31	2	Steel Frame	2

Premier Specifications 2012

*All Chair capacity is 250 lbs

Premier Number	Weight	Width	Depth	Overall Height	Floor to top of seat	Seat Thickness	Construction	Package QTY
255 BK C, M or N	20	17.5	17	32	18.5	2	Steel Frame	2
255 BK CC, MM or NN	20	17.5	17	32	18.5	2	Steel Frame	2
255BH BK C, M or N	28	17.5	17	42	31	2	Steel Frame	2
255BH BK CC,MM, or NN	28	17.5	17	42	31	2	Steel Frame	2
255BH S BK C,M or N	30	17.5	17	42	31	2	Steel Frame	2
256 BK C, M or N	20	17.5	17	32	18.5	2	Steel Frame	2
256 BK CC, MM or NN	20	17.5	17	32	18.5	2	Steel Frame	2
256BH BK C, M or N	26	17.5	17	42	31	2	Steel Frame	2
256BH BK CC,MM, or NN	26	17.5	17	42	31	2	Steel Frame	2
256BH S BK C,M or N	28	17.5	17	42	31	2	Steel Frame	2
280 CM	18	16.5	16	34.5	18.5	2	Steel Frame	2
281 CM	17	15	15	30	18.5	2	Steel Frame	2
281S CM	17	15	15	30	18.5	2	Steel Frame	2
500 CHR OR MAH	22	17.5	16	35	18.5	2	Maple Frame	2
500 CHR C OR MAH M	24	17.5	16	35	18.5	2	Maple Frame	2
500BH CHR OR MAH	25	17.5	16	44	31	2	Maple Frame	2
500BH CHR C OR MAH M	30	17.5	16	44	31	2	Maple Frame	2
550 CHR OR MAH	22	17.5	16	35	18.5	2	Maple Frame	2
550 CHR C OR MAH M	23	17.5	16	35	18.5	2	Maple Frame	2
550BH CHR OR MAH	25	17.5	16	44	31	2	Maple Frame	2

Premier Specifications 2012

*All Chair capacity is 250 lbs

Premier Number	Weight	Width	Depth	Overall Height	Floor to top of seat	Seat Thickness	Construction	Package QTY
550BH CHR C OR MAH M	30	17.5	16	44	31	2	Maple Frame	2
580 CHR OR MAH	22	17.5	16	35	18.5	2	Maple Frame	2
580 CHR C OR MAH M	23	17.5	16	35	18.5	2	Maple Frame	2
580BH CHR OR MAH	25	17.5	16	44	31	2	Maple Frame	2
580BH CHR C OR MAH M	30	17.5	16	44	31	2	Maple Frame	2
6000 Bistro w/o arms	15	22	25	32	17	N/A	18 Gauge Steel	4
6002 Bistro w/arms	18	22	25	34	17	N/A	18 Gauge Steel	4
6004 Bistro Barstool	25	23	26	45	29	N/A	18 Gauge Steel	1
6100 Brentwood w/o arms	18	22	24	33	17	N/A	18 Gauge Steel	4
6102 Brentwood w/arms	18	23	27	39	17	N/A	18 Gauge Steel	4
6104 Brentwood Barstool	25	22	23	44	29	N/A	18 Gauge Steel	1
6202 Tremont	20	23	20	32	17	N/A	18 Gauge Steel	4
6300 Metro	20	19	21	35	17	N/A	18 Gauge Steel	4
6402 Veranda	21	22	23	33	17	N/A	18 Gauge Steel	1
6502 Luna	5	21	22	28.5	17	N/A	Aluminum	4
6504 Luna Barstool	9	20	25	39	31	N/A	Aluminum	1
6602 Aero Aluminum	6	22.5	21.5	31.5	30.25	N/A	Aluminum	4
6604 Aero Alum Barstool	9	22	22	41	28	N/A	Aluminum	1
6702 Aero Cast Aluminum	11	22	20.5	31	26.5	N/A	Cast Aluminum	4
6704 Aero Cast Barstool	14	22	20.5	41.5	27	N/A	Cast Aluminum	1

Premier Specifications 2012

*All Chair capacity is 250 lbs

Premier				Overall	Floor to	Seat		Package
Number	Weight	Width	Depth	Height	top of seat	Thickness	Construction	QTY
#LR24RD_X	100	24	24	29	N/A	N/A	High Pressure Laminate	1
#LR30RD_X	103	30	30	29	N/A	N/A	High Pressure Laminate	1
#LR36RD_X	116	36	36	29	N/A	N/A	High Pressure Laminate	1
#LR42RD_X	131	42	42	29	N/A	N/A	High Pressure Laminate	1
#LR48RD_X	134	48	48	29	N/A	N/A	High Pressure Laminate	1
#LR2424_X	110	24	24	29	N/A	N/A	High Pressure Laminate	1
#LR3030_X	113	30	30	29	N/A	N/A	High Pressure Laminate	1
#LR3636_X	125	36	36	29	N/A	N/A	High Pressure Laminate	1
#BH36RD_X	126	36	36	42	N/A	N/A	High Pressure Laminate	1
#BH42RD_X	141	42	42	42	N/A	N/A	High Pressure Laminate	1
#BH48RD_X	144	48	48	42	N/A	N/A	High Pressure Laminate	1
#BH3048_T	182	30	48	42	N/A	N/A	High Pressure Laminate	1
#BH2424_X	135	24	24	42	N/A	N/A	High Pressure Laminate	1
#BH3030_X	123	30	30	42	N/A	N/A	High Pressure Laminate	1
#BH3636_X	135	36	36	42	N/A	N/A	High Pressure Laminate	1
#BH4242_X	148	42	42	42	N/A	N/A	High Pressure Laminate	1
#BH4848_X	168	48	48	42	N/A	N/A	High Pressure Laminate	1
#LR24RDCMX	103	24	24	29	N/A	N/A	Stainless Steel	1
#LR28RDCMX	112	28	28	29	N/A	N/A	Stainless Steel	1
#LR32RDCMX	131	32	32	29	N/A	N/A	Stainless Steel	1

Premier Specifications 2012

*All Chair capacity is 250 lbs

Premier Number	Weight	Width	Depth	Overall Height	Floor to top of seat	Seat Thickness	Construction	Package QTY
#LR2424CMX	125	24	24	29	N/A	N/A	Stainless Steel	1
#LR2828CMX	125	28	28	29	N/A	N/A	Stainless Steel	1
#LR3232CMX	138	32	32	29	N/A	N/A	Stainless Steel	1
#BH24RDCMX	113	24	24	42	N/A	N/A	Stainless Steel	1
#BH28RDCMX	122	28	28	42	N/A	N/A	Stainless Steel	1
#BH32RDCMX	141	32	32	42	N/A	N/A	Stainless Steel	1
#BH2424CMX	135	24	24	42	N/A	N/A	Stainless Steel	1
#BH2828CMX	135	28	28	42	N/A	N/A	Stainless Steel	1
#BH3232CMX	148	32	32	42	N/A	N/A	Stainless Steel	1
#OF30RDMMBK	40	30	30	29	N/A	N/A	18 Gauge Steel	1
#OF3030MMBK	40	30	30	29	N/A	N/A	18 Gauge Steel	1
#OF36RDMMBK	46	36	36	29	N/A	N/A	18 Gauge Steel	1
#OF3636MMBK	46	36	36	29	N/A	N/A	18 Gauge Steel	1
#OF3048MMBK	59	30	48	29	N/A	N/A	18 Gauge Steel	1
#OF3636BHBK	70	36	36	42	N/A	N/A	18 Gauge Steel	1